

NORTH CAROLINA ASSOCIATION OF RESCUE & EMERGENCY MEDICAL SERVICES, INC.

P.O. BOX 1914, GOLDSBORO, N.C. 27533-1914 TELEPHONE: 919/736-0506 FAX: 919/736-7759 E-MAIL: ncarems@ncarems.org

CERTIFICATE OF ELIGIBILITY

HEAVY VEHICLE EXTRICATION & MACHINERY

*** PLEASE PRINT OR TYPE

NAME OF UNIT _____ DATE _____

MAILING ADDRESS _____ ST. ADDRESS _____

CITY _____ STATE _____ ZIP _____ COUNTY _____

UNIT EMAIL ADDRESS _____

EMERGENCY PHONE #() _____ SOCIAL PHONE #() _____ E-MAIL _____

DATE ORGANIZED _____ NON-PROFIT ORGANIZATION { } YES { } NO # OF MEMBERS _____

BUSINESS MEETING NIGHT _____ TRAINING NIGHTS _____

CAPTAIN/CHIEF _____ EMAIL ADDRESS _____

BUSINESS PHONE () _____ HOME PHONE () _____

SECRETARY _____ EMAIL ADDRESS _____

BUSINESS PHONE (_____ HOME PHONE (_____) _____

DOES YOUR SQUAD PROVIDE?

RESCUE ONLY _____ EMS ONLY _____ EMS/FIRE _____ EMS/RESCUE _____ EMS/FIRE/RESCUE _____ FIRE/RESCUE _____

COPY OF STATE CHARTER & CONTRACT

WITH CITY / COUNTY, INDICATING DISTRICT OF AUTHORITY,

MUST ACCOMPANY THIS CERTIFICATE OF ELIGIBILITY

NCAR&EMS, INC.,
REPRESENTATIVE

DATE: _____

APPROVED: _____ YES _____ NO

TO BE SIGNED BY COUNTY OR CITY OFFICIAL

THIS IS TO CERTIFY THAT THE ABOVE NAMED RESCUE PROVIDER IS AN ACTIVE OPERATING SERVICE,
OPERATING IN:

_____ CITY OR COUNTY

_____ SIGNED
COUNTY OR CITY OFFICIAL

_____ TITLE

(NOTARY SEAL)

COUNTY OF _____ STATE OF _____

ON THE _____ DAY OF _____ 20_____, APPEARED BEFORE ME THE SAID INDIVIDUAL DESCRIBED
HEREIN AND WHO EXECUTED THE FOREGOING INSTRUMENT, AND HE (OR SHE) DULY ACKNOWLEDGED TO ME THAT HE (OR SHE)
EXECUTED SAME AND THAT THE STATEMENT THEREIN CONTAINED WERE TRUE TO THE BEST OF HIS (OR HER) KNOWLEDGE AND
BELIEF.

MY COMMISSION EXPIRES: _____ NOTARY PUBLIC

TO BE SIGNED & NOTARIZED BY DEPARTMENT OFFICIAL

THIS IS TO CERTIFY THAT THE ABOVE NAMED RESCUE PROVIDER IS AN ACTIVE OPERATING SERVICE:

_____ SIGNATURE, SQUAD OFFICIAL

_____ TITLE

(NOTARY SEAL)

BOTH SIGNATURES ARE REQUIRED

COUNTY OF _____ STATE OF _____

ON THE _____ DAY OF _____ 20_____, APPEARED BEFORE ME THE SAID INDIVIDUAL
DESCRIBED HEREIN AND WHO EXECUTED THE FOREGOING INSTRUMENT, AND HE (OR SHE) DULY ACKNOWLEDGED TO ME THAT HE (OR
SHE) EXECUTED THE SAME AND THAT THE STATEMENTS THEREIN CONTAINED WERE TRUE TO THE BEST OF HIS (OR HER) KNOWLEDGE
AND BELIEF.

MY COMMISSION EXPIRES: _____ NOTARY PUBLIC

MINIMUM STANDARD REQUIREMENTS - NCAR&EMS

HEAVY VEHICLE EXTRICATION & MACHINERY

EXTRICATION INVOLVING HEAVY TRUCKS, BUSES, CONSTRUCTION EQUIPMENT, MACHINERY & TRAINS ARE DEFINED AS ADVANCED LEVELS OF RESCUE EXTRICATION, WHILE PROVIDING BASIC LIFE SUPPORT FUNCTIONS AS AN INITIAL RESPONDER WITH ADVANCED EQUIPMENT BASED ON THE NEEDS OF THE AHJ.

1. MINIMUM PERSONNEL / ORGANIZATION REQUIREMENTS:

NUMBER OF PERSONNEL WITH CERTIFICATION

(ENTER NUMBER OF PERSONNEL WITH EACH CERTIFICATION)

FIRST RESPONDER - # _____ MEDICAL RESPONDER - # _____ EMT - # _____

EMT-I - # _____ EMT-P - # _____ RT - # _____ MICN - # _____ NO CERTIFICATION - # _____

A MINIMUM OF EIGHT (8) PERSONNEL SHALL BE CERTIFIED AS RT'S AND SHALL HAVE MINIMUM MEDICAL TRAINING AS SPECIFIED BY THE AHJ PRIOR TO CERTIFICATION IN THIS SPECIALITY AREA.

HEAVY EXTRICATION INCLUDES BUT IS NOT LIMITED TO AND BASED ON LOCAL NEED. ORGANIZATIONS OPERATING AT THE OPERATIONS LEVEL SHALL HAVE A MINIMUM OF EIGHT (8) QUALIFIED PERSONNEL WHICH MEET THE REQUIREMENTS OF LOCAL OR OTHER RECOGNIZED COURSES OF INSTRUCTION OR N.C. FIRE & RESCUE COMMISSION RECOGNIZED COURSES OF INSTRUCTION WHICH MEET NFPA 1670 OPERATIONAL LEVELS IN ADDITION TO THE FOLLOWING.

- A. TRUCKS - ORGANIZATION SHALL PROVIDE DOCUMENTATION OF A MINIMUM OF EIGHT (8) PERSONNEL HAVING A LEAST 8 HOURS EACH OF ADDITIONAL EXTRICATION TRAINING INVOLVING TRUCKS RATED AT 26,000 LBS AND ABOVE TO OPERATE AT THE OPERATIONS LEVEL OF HEAVY EXTRICATION.
- B. BUSESSES - ORGANIZATION SHALL PROVIDE DOCUMENTATION OF A MINIMUM OF EIGHT (8) PERSONNEL HAVING A LEAST 8 HOURS EACH OF ADDITIONAL EXTRICATION TRAINING INVOLVING BUSESSES TO OPERATE AT THE OPERATIONS LEVEL OF HEAVY EXTRICATION.
- C. CONSTRUCTION - ORGANIZATION SHALL PROVIDE DOCUMENTATION OF A MINIMUM OF EIGHT (8) PERSONNEL HAVING A LEAST 8 HOURS EACH OF ADDITIONAL EXTRICATION TRAINING INVOLVING CONSTRUCTION EQUIPMENT TO OPERATE AT THE OPERATIONS LEVEL OF HEAVY EXTRICATION.
- D. TRAINS - ORGANIZATIONS SHALL PROVIDE DOCUMENTATION OF A MINIMUM OF EIGHT (8) PERSONNEL HAVING A LEAST 4 HOURS OF RAILWAY EMERGENCIES TRAINING TO OPERATE AT THE OPERATIONS LEVEL OF HEAVY EXTRICATION.

ORGANIZATIONS OPERATING AT THE TECHNICIAN LEVEL SHALL HAVE A MINIMUM OF EIGHT (8) QUALIFIED PERSONNEL WHICH MEET THE REQUIREMENTS OF NATIONALLY RECOGNIZED COURSES OF INSTRUCTION OR N.C. FIRE & RESCUE COMMISSION RECOGNIZED COURSES OF INSTRUCTION WHICH MEET NFPA 1670 TECHNICIAN LEVELS.

- A. TRUCKS - ORGANIZATION SHALL PROVIDE DOCUMENTATION OF A MINIMUM OF EIGHT (8) PERSONNEL HAVING A LEAST 16 HOURS EACH OF ADDITIONAL EXTRICATION TRAINING INVOLVING TRUCKS TO OPERATE AT THE TECHNICIAN LEVEL OF HEAVY EXTRICATION.
- B. BUSES - ORGANIZATION SHALL PROVIDE DOCUMENTATION OF A MINIMUM OF EIGHT (8) PERSONNEL HAVING A LEAST 16 HOURS EACH OF ADDITIONAL EXTRICATION TRAINING INVOLVING BUSES TO OPERATE AT THE TECHNICIAN LEVEL OF HEAVY EXTRICATION.

2. TYPE OF RESCUE TO PERFORM:

As specified by the contract by the AHJ

3. VEHICLE:

VEHICLE(S) USED FOR HEAVY EXTRICATION SHALL BE CAPABLE OF TRANSPORTING RESCUE PERSONNEL AND EQUIPMENT TO AN INCIDENT SAFELY AND CANNOT EXCEED THE VEHICLE'S TOTAL GVWR, INCLUDING THE CHASSIS, BODY, AND RESCUE EQUIPMENT AND MEDICAL CARE EQUIPMENT WHEN LOADED. ALL EQUIPMENT SHALL BE LOADED ON APPARATUS AND RESPONSE READY.

4. MINIMUM REQUIRED EQUIPMENT:

YOU MUST HAVE EACH OF THE FOLLOWING ITEMS TO MEET ELIGIBILITY REQUIREMENTS FOR CERTIFICATION.

A. COMMUNICATIONS EQUIPMENT

- _____ 1 EACH MOBILE RADIO PER VEHICLE
- _____ 8 EACH PORTABLE RADIOS

ALL COMMUNICATIONS EQUIPMENT SHALL HAVE THE CAPABILITY TO COMMUNICATE BETWEEN EMERGENCY AGENCIES OF THE LOCAL JURISDICTION.

B. GENERATOR

- _____ 1 EACH GENERATOR, 5KW, MINIMUM, MOBILE

C. LIGHTING EQUIPMENT

- _____ 8 EACH HANDLIGHTS, PORTABLE, BATTERY POWER OR RECHARGEABLE HANDLIGHTS.
- _____ 1 EACH QUARTZ LIGHTS, PORTABLE OR TRIPOD MOUNTED, TO EQUAL 4000 WATTS. (THIS IS COMBINED WATTAGE)
- _____ 1 EACH TOTAL OF 200 FT., MAY BE DIFFERENT LENGTHS, 12/3 EXT. CORDS
- _____ 2 EACH 12/3 GFCI

D. FIRE PROTECTION EQUIPMENT

- _____ 1 EACH EXTINGUISHER, PORTABLE, 10 LB., ABC TYPE
- _____ 1 EACH EXTINGUISHER, PORTABLE, 10 LB., CO 2 TYPE

E. PROTECTIVE CLOTHING: (MINIMUM OF EIGHT (8) SETS)

- _____ 8 PAIR GLOVES, LEATHER PALM
- _____ 8 PAIR GOGGLES/SAFETY GLASSES
- _____ 8 EACH PROTECTIVE COAT, PROTECTIVE COVERALLS FLAME RESIST. IE.EX. 6.0-7.5 NOMEX
- _____ 8 EACH PROTECTIVE PANTS, PROTECTIVE COVERALLS FLAME RESIST. IE. EX. 6.0-7.5 NOMEX
- _____ 8 PAIR PROTECTIVE FOOT WEAR
- _____ 8 EACH SAFETY RATED HELMET
- _____ 8 EACH HEARING PROTECTION

F. CRIBBING AND STABILIZATION

- _____ 60 EACH BLOCKS, 4"X4"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 20 EACH BLOCKS, 2"X4"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 48 LINEAR FEET OF 6"X6" PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR (MAY BE CUT TO DESIRED LENGTH FOR STABILIZATION, IF USING AS CRIBBING MUST BE 6"X6"X24")
- _____ 12 PAIR WEDGES, 6"X6"X18" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 20 PAIR WEDGES, 4"X4"X18" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 2 EACH PER VEHICLE WHEEL CHOCKS
- _____ 8 EACH STEP CRIBBING
- _____ 16 EACH PICKETS 1"X48" MINIMUM, ROLLED STEEL OR # 8 REBAR EQUIVALENT
- _____ 16 EACH PICKETS CAPS/COVERS

G. HIGH LEVEL EQUIPMENT

- _____ 1 EACH ROPE, 1/2 IN., 600 FT., 9000 LB. TENSILE STRENGTH, LOW STRETCH (STATIC KERNMANTLE), MAY BE CUT TO DIFFERENT LENGTHS
- _____ 1 EACH ROPE, 5/8 IN. 300 FT., 13000 LB. TENSILE STRENGTH, LOW STRETCH (STATIC) KERNMANTLE, MAY BE CUT TO DIFFERENT LENGTHS
- _____ 2 EACH 11mm X 165 FT. HIGH STRETCH (DYNAMIC KERNMANTLE/HIGH IMPACT) ROPE
- _____ 4 EACH HARNESS, CLASS II TYPE
- _____ 2 EACH HARNESS, CLASS III TYPE
- _____ 24 EACH STEEL CARABINERS, LOCKING GATE, EXTRA LARGE D TYPE
- _____ 8 EACH DESCENDER, FIGURE 8, WINGED TYPE
- _____ 1 EACH BRAKE BAR 6-BAR TYPE
- _____ 1 EACH RIGGING PLATE
- _____ 12 EACH 8-mm PRUSSIK SLINGS, LENGTHS MAY VARY
- _____ 8 EACH, 25 FT X 1/2 IN., BODY CORD, KERNMANTLE
- _____ 8 EACH, 25 FT X 2 IN. TUBULAR WEBBING
- _____ 1 EACH BASKET STRETCHER, STOKES TYPE - WITH ADJUSTABLE BRIDLE
- _____ 2 EACH DOUBLE SHEAVE PULLEYS, 5/8 IN. X 4 IN., STEEL
- _____ 4 EACH SINGLE SHEAVE PULLEYS, 5/8 IN. X 4 IN., STEEL
- _____ 1 EACH 1/2 IN. SINGLE SHEAVE PULLEY PRUSSIK MINDING
- _____ 4 EACH EDGE ROLLERS/PADS

H. SHORT HANDLE TOOLS

- _____ 2 EACH HAMMER, 4 LB., SLEDGE TYPE, 15 IN. HANDLE
- _____ 2 EACH HAMMER, 22 OZ. CLAW - TYPE W/15 IN. HANDLE
- _____ 2 EACH SHOVEL, MILITARY TYPE, FOLDING
- _____ 1 EACH BOLT CUTTERS, 24 IN.
- _____ 1 EACH BOLT CUTTERS, 36 IN.

I. LONG HANDLE TOOLS

- _____ 2 EACH FLAT BAR
- _____ 2 EACH PRY BAR, 15 IN.
- _____ 3 EACH PRY BAR, 51 IN.

- _____ 1 EACH, 36 IN. CROWBAR OR HALIGAN TOOL
- _____ 1 EACH HALIGAN/HOOLIGAN TOOL 36 IN. HANDLE
- _____ 1 EACH PICKS - POINT & CHISEL 36" HANDLE
- _____ 1 EACH 10 FT. PIKE POLE
- _____ 2 EACH HATCHET
- _____ 1 EACH, 6 LB. FLAT HEAD AXE
- _____ 1 EACH, 6 LB. PICK HEAD AXE
- _____ 2 EACH 8 LB. SLEDGE HAMMER
- _____ 2 EACH LONG HANDLE, ROUND POINT SHOVEL
- _____ 2 EACH LONG HANDLE, SQUARE SHOVEL

J. CUTTING TOOLS

- _____ 4 EACH RIGID FRAME HACKSAWS
- _____ 24 EACH ASSORTED HACK SAW BLADES, 6 PER SAW
- _____ 1 EACH BOW SAW - 24 IN.
- _____ 1 EACH CHAIN SAW, GASOLINE OR ELECTRIC, OR HYDRAULIC
- _____ 1 EACH SPARE CHAIN
- _____ 1 EACH RECIPROCATING SAW
- _____ 12 EACH ASSORTED RECIPROCATING SAWBLADES
- _____ 1 EACH BOTTLE OF SPRAY LUBRICATE
- _____ 1 EACH AIR CHISEL - W/ASSORTED BITS, REGULATOR & HOSES

K. TRAFFIC AND CROWD CONTROL AND HAZ-MAT EQUIPMENT

- _____ 6 EACH TRAFFIC CONES OR REFLECTIVE TRIANGLES
- _____ 1 EACH BARRIER TAPE, 2000 FT
- _____ 8 EACH TRAFFIC VEST, REFLECTIVE TYPE
- _____ 1 EACH INCIDENT COMMAND VEST KIT
- _____ 2 EACH FLASHLIGHT, WITH TRAFFIC WAND, RED OR ORANGE
- _____ 1 EACH PER VEHICLE, BINOCULARS, 7 X 50 mm POWER, WATERPROOF
- _____ 1 EACH D.O.T. EMERGENCY RESPONSE GUIDE BOOK
- _____ 1 EACH MULTI-GAS METER (TO INCLUDE O2, LEL & CO)

L. PULLING EQUIPMENT

- _____ 1 EACH WINCH 8000 LB. CAP, TRUCK MOUNTED
- _____ 2 EACH SINGLE SHEAVE SNATCH BLOCK FOR WINCH
- _____ 2 EACH HANDWINCH, (COME-A-LONG TYPE), 2 TON AND MAY BE CHAIN OR CABLE. IF USING CABLE TYPE IT MUST HAVE SPARE HANDLE. WEBBING TYPE NOT ACCEPTED.
- _____ 4 EACH CHAIN, 3/8 X 6 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 4 EACH CHAIN, 3/8 X 12 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 1 EACH CHAIN, 3/8 X 20 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 8 EACH CHAIN SHORTENERS, 3/8 IN., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 1 EACH PORT-A-POWER, 4 TON, RESCUE KIT
- _____ 2 EACH, 48 IN. HIGH LIFT JACKS
- _____ 2 EACH, 60 IN. HIGH LIFT JACKS
- _____ 2 EACH BOTTLE JACK, HYDRAULIC, 10 TON
- _____ 2 EACH BOTTLE JACK, HYDRAULIC, 20 TON
- _____ 1 EACH HIGH PRESSURE AIRBAG SET 200 TON CAPACITY-W/ACCESSORIES-HOSES, REGULATORS & GUAGES

M. HEAVY HYDRAULIC RESCUE TOOLS

- _____ 1 EACH HYDRAULIC SPREADER
- _____ 1 EACH HYDRAULIC CUTTER
- _____ 2 EACH HYDRAULIC RAM
- _____ 1 EACH POWER UNIT
- _____ 1 EACH BACK-UP POWER UNIT

N. HAND TOOLS - MECHANICS TOOLS (MANUAL & POWER)

- _____ 2 EACH SCREWDRIVERS, STRAIGHT BLADE, 15 IN.
- _____ 4 EACH SCREWDRIVERS, STRAIGHT BLADE, ASSORTED SIZES
- _____ 4 EACH SCREWDRIVERS, PHILLIPS BLADE, ASSORTED SIZES
- _____ 4 EACH CENTERPUNCH, SPRING LOADED
- _____ 1 EACH WRENCH, CRESCENT TYPE, 10 IN.
- _____ 1 EACH PIPEWRENCH, 18 IN.
- _____ 2 EACH BAILING HOOKS
- _____ 1 EACH KNIFE, UTILITY TYPE, HOOKED BLADE
- _____ 1 EACH HAMMER, 2 LB., MACHINIST TYPE
- _____ 1 EACH PLIERS, VISE GRIP TYPE, 6 IN.
- _____ 1 EACH PLIERS, VISE GRIP TYPE, 10 IN.
- _____ 1 EACH PLIERS, SLIP JOINT TYPE, 9 1/2 IN.
- _____ 1 EACH PLIERS, SLIP JOINT TYPE, 16 IN. - CHANNEL LOCK TYPE
- _____ 1 EACH COLD CHISELS, 1/2 IN. X 12 IN.
- _____ 1 EACH COLD CHISELS 1 IN. X 12 IN.
- _____ 1 EACH TIN SNIPS, DOUBLE ACTION, 8 IN.
- _____ 1 EACH DRILL - HAMMER TYPE 3/4 IN., W/ASSORTED BITS
- _____ 1 EACH AIR WRENCH - W/HOSES, GUAGES, REGULATOR AND ACCESSORIES
- _____ 1 EACH SOCKET SET, 1/4 IN. DRIVE, STANDARD AND METRIC
- _____ 1 EACH SOCKET SET, 3/8 IN. DRIVE, STANDARD AND METRIC
- _____ 1 EACH SOCKET SET, 1/2 IN. DRIVE, STANDARD AND METRIC
- _____ 1 EACH IMPACT SOCKET SETS - 1/2 IN. DRIVE, STANDARD AND METRIC
- _____ 1 EACH SOCKET SET - 3/4 IN. DRIVE, STANDARD, 7/8 IN. THRU 2 3/8 IN.
- _____ 1 EACH COMBINATION WRENCH SET, STANDARD & METRIC SETS- STANDARD-1/4 IN. THRU 1 5/8 IN. METRIC, 6 mm THRU 32 mm
- _____ 1 EACH HEX KEY WRENCH SET STANDARD 5/64, 3/8. METRIC 1.5 mm, 10 mm
- _____ 1 EACH TORX DRIVERS SET, SOCKET TYPE- 3/8 DRIVE, SIZES 15 - 45
- _____ 2 EACH ROLL OF ELECTRIC TAPE
- _____ 2 EACH ROLL OF DUCT TAPE

O. MISCELLANEOUS

- _____ 1 EACH RESOURCE BOOK OF LOCAL REGION
- _____ 1 SET OF INCIDENT COMMAND FORMS PER AHJ Download These at:
http://www.nimsonline.com/download_center/index.htm#forms
- _____ 1 EACH ORGANIZATIONAL SOG'S
- _____ 1 EACH COUNTY MAP PER VEHICLE
- _____ 1 EACH N.C. STATE MAP PER VEHICLE
- _____ 1 EACH FIRE RETARDANT BLANKET
- _____ 1 EACH TARP, 8 FT. X 10 FT.
- _____ 1 EACH TARPS, 10 FT. X 12 FT.
- _____ 1 EACH GLOBAL POSITIONING SYSTEM (GPS)
- _____ 1 EACH SET OF TOPOGRAPHICAL MAP SET (TO COVER LOCAL REGION)
- _____ 1 OSHA COMPLIANT SAFETY FUEL CAN PER AHJ

P. LADDERS

- _____ 1 EACH LADDER, EXTENSION TYPE, 24 FT. LENGTH, NFPA FIRE SERVICE RATED
- _____ 2 EACH LADDER, 12 FT. MINIMUM, NFPA FIRE SERVICE RATED
- _____ 1 EACH LADDER, ATTIC TYPE, 10 FT. LENGTH MINIMUM, NFPA FIRE SERVICE RATED

Q. SCBA UNITS

- _____ 4 EACH SELF CONTAINED BREATHING APPARATUS 30 MINUTE DURATION MINIMUM
- _____ 4 EACH SPARE AIR CYLINDERS (COMPATIBLE TO FIT ABOVE MENTIONED SCBA)
- _____ 4 EACH MOTION ALARMS (MAY BE CLIP ON OR INTEGRALLY MOUNTED)

R. MEDICAL CARE - ALL MEDICAL EQUIPMENT TO BE N.C.O.E.M.S. APPROVED

- _____ 1 EACH SPINE BOARD, 16 IN. X 6 FT. WITH STRAPS X 3
- _____ 1 EACH EXTRICATION DEVICE (K.E.D. TYPE)
- _____ 5 EACH EXTRICATION COLLARS, ASSORTED SIZES
- _____ 2 EACH OXYGEN CYLINDERS
- _____ 1 EACH OXYGEN REGULATORS, 0-15 LPM
- _____ 1 EACH BAG-VALVE MASK, WITH HIGH CONCENTRATION KIT: WITH MASKS FOR INFANT, CHILD AND ADULT
- _____ 1 EACH NON REBREATHING MASKS
- _____ 2 EACH NASAL CANNULAS, INFANT, CHILD AND ADULT
- _____ 1 EACH SUCTION DEVICE, PORTABLE SUCTION UNIT W/RIGID TIP OR SOFT TIP SUCTION CATHETER
- _____ 1 EACH BLANKET, THERMAL
- _____ 1 EACH SPLINT KIT, ASSORTED TO INCLUDE TRACTION SPLINTS
- _____ 1 EACH TRAUMA KIT - PER MEDICAL RESPONDER STANDARDS CRITERIA
- _____ 1 EACH P.P.E. FOR EACH PERSON PROVIDING MEDICAL CARE
- _____ 1 EACH BODY/EXPOSURE BAG