

**NORTH CAROLINA ASSOCIATION OF RESCUE & EMERGENCY MEDICAL SERVICES, INC.**

**P.O. BOX 1914, GOLDSBORO, N.C. 27533-1914 TELEPHONE: 919/736-0506 FAX: 919/736-7759**

**E-MAIL: [ncarems@ncarems.org](mailto:ncarems@ncarems.org)**

**CERTIFICATE OF ELIGIBILITY**

**LIGHT RESCUE**

\*\*\* PLEASE PRINT OR TYPE

NAME OF DEPARTMENT \_\_\_\_\_ DATE \_\_\_\_\_

MAILING ADDRESS \_\_\_\_\_ ST. ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_ COUNTY \_\_\_\_\_

DEPARTMENT EMAIL ADDRESS \_\_\_\_\_

COMM CENTER PHONE #( ) \_\_\_\_\_ BUSINESS PHONE #( ) \_\_\_\_\_

DEPARTMENT CELL PHONE #( ) \_\_\_\_\_ FAX # \_\_\_\_\_

CAPTAIN/CHIEF \_\_\_\_\_ EMAIL ADDRESS \_\_\_\_\_

WORK PHONE #( ) \_\_\_\_\_ HOME PHONE #( ) \_\_\_\_\_ CELL #( ) \_\_\_\_\_

SECRETARY \_\_\_\_\_ EMAIL ADDRESS \_\_\_\_\_

WORK PHONE #( ) \_\_\_\_\_ HOME PHONE #( ) \_\_\_\_\_ CELL #( ) \_\_\_\_\_

DOES YOUR SQUAD PROVIDE?

RESCUE ONLY \_\_\_\_\_ EMS ONLY \_\_\_\_\_ EMS/FIRE \_\_\_\_\_ EMS/RESCUE \_\_\_\_\_ EMS/FIRE/RESCUE \_\_\_\_\_ FIRE/RESCUE \_\_\_\_\_

**COPY OF STATE CHARTER & CONTRACT**

**WITH CITY / COUNTY, INDICATING DISTRICT OF AUTHORITY,**

**MUST ACCOMPANY THIS CERTIFICATE OF ELIGIBILITY**

DEPT. NAME \_\_\_\_\_

**TO BE SIGNED & NOTARIZED BY CITY OR COUNTY OFFICIAL**

THIS IS TO CERTIFY THAT THE ABOVE NAMED RESCUE PROVIDER IS AN ACTIVE OPERATING SERVICE,  
OPERATING IN:

\_\_\_\_\_ CITY OR COUNTY

\_\_\_\_\_ SIGNED

COUNTY OR CITY OFFICIAL

\_\_\_\_\_ TITLE

(NOTARY SEAL)

COUNTY OF \_\_\_\_\_ STATE OF \_\_\_\_\_

ON THE \_\_\_\_\_ DAY OF \_\_\_\_\_ 20\_\_\_\_\_, APPEARED BEFORE ME THE SAID INDIVIDUAL DESCRIBED  
HEREIN AND WHO EXECUTED THE FOREGOING INSTRUMENT, AND HE (OR SHE) DULY ACKNOWLEDGED TO ME THAT HE (OR SHE)  
EXECUTED SAME AND THAT THE STATEMENT THEREIN CONTAINED WERE TRUE TO THE BEST OF HIS (OR HER) KNOWLEDGE AND  
BELIEF.

MY COMMISSION EXPIRES: \_\_\_\_\_ NOTARY PUBLIC

**TO BE SIGNED & NOTARIZED BY DEPARTMENT OFFICIAL**

THIS IS TO CERTIFY THAT THE ABOVE NAMED RESCUE PROVIDER IS AN ACTIVE OPERATING SERVICE:

\_\_\_\_\_ SIGNATURE, SQUAD OFFICIAL

\_\_\_\_\_ TITLE

(NOTARY SEAL)

COUNTY OF \_\_\_\_\_ STATE OF \_\_\_\_\_

ON THE \_\_\_\_\_ DAY OF \_\_\_\_\_ 20\_\_\_\_\_, APPEARED BEFORE ME THE SAID INDIVIDUAL  
DESCRIBED HEREIN AND WHO EXECUTED THE FOREGOING INSTRUMENT, AND HE (OR SHE) DULY ACKNOWLEDGED TO ME THAT HE (OR  
SHE) EXECUTED THE SAME AND THAT THE STATEMENTS THEREIN CONTAINED WERE TRUE TO THE BEST OF HIS (OR HER) KNOWLEDGE  
AND BELIEF.

MY COMMISSION EXPIRES: \_\_\_\_\_ NOTARY PUBLIC

**BOTH SIGNATURES ARE REQUIRED**

# MINIMUM STANDARD REQUIREMENTS - NCAR&EMS

## LIGHT RESCUE

LIGHT RESCUE IS DEFINED AS BASIC RESCUE, EXTRICATION AND BASIC LIFE SUPPORT FUNCTIONS AS AN INITIAL RESPONDER WITH MINIMUM BASIC EQUIPMENT.

### 1. MINIMUM PERSONNEL / ORGANIZATION REQUIREMENTS:

NUMBER OF PERSONNEL WITH CERTIFICATION

(ENTER NUMBER OF PERSONNEL WITH EACH CERTIFICATION)

FIRST RESPONDER - #\_\_\_\_\_ MEDICAL RESPONDER - #\_\_\_\_\_ EMT - #\_\_\_\_\_

EMT-I - #\_\_\_\_\_ EMT-P - #\_\_\_\_\_ RESCUE CERTIFIED - #\_\_\_\_\_ RN/MICN - #\_\_\_\_\_

***A MINIMUM OF EIGHT (8) PERSONNEL SHALL HOLD RESCUE CERTIFICATIONS AS ERT, RT-VMR OR TR-VMR***

### 2. TYPE OF RESCUE TO PERFORM:

AS SPECIFIED BY THE CONTRACT WITH THE AHJ

### 3. VEHICLE:

VEHICLE(S) USED FOR LIGHT RESCUE SHALL BE CAPABLE OF TRANSPORTING RESCUE PERSONNEL AND EQUIPMENT TO AN INCIDENT SAFELY AND CANNOT EXCEED THE VEHICLE'S TOTAL GVWR, INCLUDING THE CHASSIS, BODY, AND RESCUE EQUIPMENT AND MEDICAL CARE EQUIPMENT WHEN LOADED. ALL EQUIPMENT SHALL BE LOADED ON APPARATUS AND RESPONSE READY.

**4. MINIMUM REQUIRED EQUIPMENT:      DEPT. NAME \_\_\_\_\_**

NCAR&EMS, INC.,  
REPRESENTATIVE \_\_\_\_\_ DATE: \_\_\_\_\_

APPROVED:      \_\_\_\_\_ YES      \_\_\_\_\_ NO      INSPECTOR'S SIGNATURE: \_\_\_\_\_

**YOU MUST HAVE EACH OF THE FOLLOWING ITEMS TO MEET ELIGIBILITY REQUIREMENTS FOR CERTIFICATION**

**A. COMMUNICATIONS EQUIPMENT**

- \_\_\_\_\_ 1 MOBILE RADIO PER VEHICLE
- \_\_\_\_\_ 4 PORTABLE RADIOS

ALL COMMUNICATIONS EQUIPMENT SHALL HAVE THE CAPABILITY TO COMMUNICATE BETWEEN EMERGENCY AGENCIES OF THE LOCAL JURISDICTION.

**B. GENERATOR**

- \_\_\_\_\_ 1 GENERATOR, 5KW, MINIMUM, MOBILE

**C. LIGHTING EQUIPMENT**

- \_\_\_\_\_ 2 HANDLIGHTS, PORTABLE, BATTERY POWER OR RECHARGEABLE HANDLIGHTS
- \_\_\_\_\_ 1000 WATTS OF LIGHTS, MAY BE PORTABLE OR TRIPOD MOUNTED, (THIS IS COMBINED WATTAGE AND MAY BE QUARTZ, FLOURESCENT, LED, ETC.)
- \_\_\_\_\_ 1 TOTAL OF 200 FT., MAY BE DIFFERENT LENGTHS, 12/3 EXT. CORDS
- \_\_\_\_\_ 2 12/3 GFCI

**D. FIRE PROTECTION EQUIPMENT**

- \_\_\_\_\_ 1 EXTINGUISHER, PORTABLE, 10 LB., ABC TYPE
- \_\_\_\_\_ 1 EXTINGUISHER, PORTABLE, 10 LB., CO 2 TYPE

**E. PROTECTIVE CLOTHING: MINIMUM OF EIGHT (8) SETS**

- \_\_\_\_\_ 8 PAIR GLOVES, LEATHER PALM
- \_\_\_\_\_ 8 PAIR GOGGLES/SAFETY GLASSES
- \_\_\_\_\_ 8 PROTECTIVE COATS, PROTECTIVE COVERALLS FLAME RESIST. IE.EX. 6.0-7.5 NOMEX
- \_\_\_\_\_ 8 PROTECTIVE PANTS, PROTECTIVE COVERALLS FLAME RESIST. IE. EX. 6.0-7.5 NOMEX
- \_\_\_\_\_ 8 PAIR PROTECTIVE FOOT WEARS
- \_\_\_\_\_ 8 SAFETY RATED HELMET
- \_\_\_\_\_ 8 HEARING PROTECTIONS

**F. CRIBBING AND STABILIZATION**

- \_\_\_\_\_ 12 BLOCKS, 4"X4"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- \_\_\_\_\_ 12 BLOCKS, 2"X4"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- \_\_\_\_\_ 12 PAIR WEDGES, 4"X4"X18" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- \_\_\_\_\_ 2 PER VEHICLE WHEEL CHOCKS
- \_\_\_\_\_ 2 STEP CRIBBING
- \_\_\_\_\_ 8 PICKETS 1" X 48" MINIMUM, ROLLED STEEL OR #8 REBAR EQUIVLENT
- \_\_\_\_\_ 8 PICKETS CAPS/COVERS

G. HIGH LEVEL EQUIPMENT

- \_\_\_\_\_ 500 FT - 1/2 IN ROPE, 9000 LB. TENSILE STRENGTH, LOW STRETCH (STATIC KERNMANTLE), MAY BE CUT TO DIFFERENT LENGTHS
- \_\_\_\_\_ 2 EACH HARNESS, CLASS II TYPE
- \_\_\_\_\_ 12 CARABINERS LOCKING GATE, 9000 LB MINIMUM OR 40KN (ALUMINUM MUST BE STAMPED)
- \_\_\_\_\_ 5 DESCENDERS, MUST BE A COMBINATION OF BRAKE BAR RACKS AND FIGURE 8S. (8'S MUST BE WINGED TYPE)
- \_\_\_\_\_ 1 RIGGING PLATE
- \_\_\_\_\_ 6 - 8mm PRUSSIK SLINGS, LENGTHS MAY VARY (53" & 65" PRE-TIED RECOMMENDED)
- \_\_\_\_\_ 8 25 FT X 1/2 IN., BODY CORD, KERNMANTLE
- \_\_\_\_\_ 8 25 FT X 2 IN., TUBULAR WEBBING
- \_\_\_\_\_ 6 - 5 FT X 1 IN. TUBULAR WEBBING - GREEN
- \_\_\_\_\_ 6 - 12 FT X 1 IN. TUBULAR WEBBING - YELLOW
- \_\_\_\_\_ 6 - 15 FT X 1 IN. TUBULAR WEBBING - BLUE
- \_\_\_\_\_ 6 - 20 FT X 1 IN. TUBULAR WEBBING - RED
- \_\_\_\_\_ 6 - 25 FT X 1 IN. TUBULAR WEBBING - BLACK
- \_\_\_\_\_ 1 BASKET STRETCHER, STOKES TYPE - WITH ADJUSTABLE BRIDLE (PREMADE OR MFG)
- \_\_\_\_\_ 2 DOUBLE SHEAVE PULLEYS, 5/8 IN. X 4 IN., STEEL
- \_\_\_\_\_ 2 SINGLE SHEAVE PULLEYS, 5/8 IN. X 4 IN., STEEL
- \_\_\_\_\_ 4 EDGE ROLLERS/PADS

H. HANDLED TOOLS

- \_\_\_\_\_ 1 HAMMER, 4 LB., SLEDGE TYPE, 15 IN. HANDLE
- \_\_\_\_\_ 1 SHOVEL, MILITARY TYPE, FOLDING
- \_\_\_\_\_ 1 BOLT CUTTERS, 24 IN.
- \_\_\_\_\_ 1 BOLT CUTTERS, 36 IN.
- \_\_\_\_\_ 1 PRY BAR, 15 IN.
- \_\_\_\_\_ 1 PRY BAR, 51 IN.
- \_\_\_\_\_ 1 HALIGAN/HOOLIGAN BAR, 36 IN.
- \_\_\_\_\_ 1 - 36 IN. CROWBAR
- \_\_\_\_\_ 1 - 10 FT. PIKE POLE
- \_\_\_\_\_ 1 - 6 LB. FLAT HEAD AXE
- \_\_\_\_\_ 1 - 6 LB. PICK HEAD AXE
- \_\_\_\_\_ 1 - 8 LB. SLEDGE HAMMER
- \_\_\_\_\_ 1 - LONG HANDLE, ROUND POINT SHOVEL

I. CUTTING TOOLS

- \_\_\_\_\_ 2 RIGID FRAME HACKSAWS
- \_\_\_\_\_ 12 ASSORTED HACK SAW BLADES, 6 PER SAW
- \_\_\_\_\_ 1 BOW SAW - 24 IN
- \_\_\_\_\_ 1 CHAIN SAW, GASOLINE OR ELECTRIC, SPARE CHAIN
- \_\_\_\_\_ 1 PAIR CHAINSAW CHAPS
- \_\_\_\_\_ 1 RECIPROCATING SAW - MUST BE ELECTRIC (AC CORDED)
- \_\_\_\_\_ 12 RECIPROCATING SAW BLADES
- \_\_\_\_\_ 1 BOTTLE OF SPRAY LUBRICANT (NON-FLAMMABLE)

J. TRAFFIC AND CROWD CONTROL EQUIPMENT

- \_\_\_\_\_ 6 TRAFFIC CONES OR REFLECTIVE TRIANGLES
- \_\_\_\_\_ 1 BARRIER TAPE, 1000 FT
- \_\_\_\_\_ 8 TRAFFIC VEST, REFLECTIVE TYPE (MUST BE DOT COMPLIANT PER AHJ)
- \_\_\_\_\_ 1 INCIDENT COMMAND VEST KIT
- \_\_\_\_\_ 2 FLASHLIGHTS, WITH TRAFFIC WAND, RED OR ORANGE
- \_\_\_\_\_ 1 BINOCULARS, 7 X 50 mm POWER
- \_\_\_\_\_ 1 D.O.T. EMERGENCY RESPONSE GUIDE BOOK - CURRENT EDITION

K. PULLING, LIFTING AND TOWING EQUIPMENT

- \_\_\_\_\_ 1 WINCH 8000 LB. CAP, TRUCK MOUNTED
- \_\_\_\_\_ 1 HANDWINCH, (COME-A-LONG TYPE), 2 TON AND MAY BE CHAIN OR CABLE, WEBBING TYPE NOT ACCEPTED.
- \_\_\_\_\_ 1 CHAIN, 3/8 X 6 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- \_\_\_\_\_ 1 CHAIN, 3/8 X 12 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- \_\_\_\_\_ 1 CHAIN, 3/8 X 20 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- \_\_\_\_\_ 2 CHAIN SHORTENERS, 3/8 IN., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- \_\_\_\_\_ 1 PORT-A-POWER, 4 TON, RESCUE KIT
- \_\_\_\_\_ 2 - 48 IN. HIGH LIFT JACKS
- \_\_\_\_\_ 1 BOTTLE JACK, HYDRAULIC, 10 TON

L. RESCUE HANDTOOLS BOX

- \_\_\_\_\_ 6 SCREWDRIVERS, STRAIGHT BLADE, ASSORTED SIZES AT LEAST 2 MUST BE 15 IN.
- \_\_\_\_\_ 4 SCREWDRIVERS, PHILLIPS BLADE, ASSORTED SIZES
- \_\_\_\_\_ 4 CENTERPUNCH, SPRING LOADED
- \_\_\_\_\_ 1 WRENCH, CRESCENT TYPE, 10 IN
- \_\_\_\_\_ 1 PIPEWRENCH, 18 IN
- \_\_\_\_\_ 1 KNIFE, UTILITY TYPE, HOOKED BLADE
- \_\_\_\_\_ 1 HAMMER, 2 LB., MACHINIST TYPE
- \_\_\_\_\_ 1 PLIERS, VISE GRIP TYPE, 6 IN
- \_\_\_\_\_ 1 PLIERS, VISE GRIP TYPE, 10 IN
- \_\_\_\_\_ 1 PLIERS, SLIP JOINT TYPE, 9 1/2 IN.
- \_\_\_\_\_ 1 PLIERS, SLIP JOINT TYPE, 16 IN. - CHANNELLOCK TYPE
- \_\_\_\_\_ 1 COLD CHISEL, 1/2 IN. X 12 IN
- \_\_\_\_\_ 1 COLD CHISEL, 1 IN. X 12 IN
- \_\_\_\_\_ 1 TIN SNIPS, 8 IN MINIMUM
- \_\_\_\_\_ 1 SOCKET SET, 1/4 IN. DRIVE, STANDARD (3/16 THRU 1/2) AND METRIC (4 THRU 13 MM)
- \_\_\_\_\_ 1 SOCKET SET, 3/8 IN. DRIVE, STANDARD (7/16 THRU 13/16) AND METRIC (8 THRU 19 MM)
- \_\_\_\_\_ 1 COMBINATION WRENCH SET, STANDARD & METRIC SETS- STANDARD-1/4 IN. THRU 1 5/8 IN., METRIC, 6 mm THRU 32 mm
- \_\_\_\_\_ 1 HEX KEY WRENCH SET STANDARD & METRIC 5/64, 3/8 & 1.5 mm - 10 mm
- \_\_\_\_\_ 1 TORX DRIVERS SET, SOCKET TYPE, SIZES 15 - 45
- \_\_\_\_\_ 1 ROLL OF ELECTRIC TAPE
- \_\_\_\_\_ 1 ROLL OF DUCT TAPE, 2 IN. WIDE

M. MISCELLANEOUS

- \_\_\_\_\_ 1 RESOURCE BOOK OF LOCAL REGION TO INCLUDE LOCAL HELICOPTER LANDING ZONES
- \_\_\_\_\_ 1 SET OF INCIDENT COMMAND FORMS PER AHJ Download These at:  
<http://www.fema.gov/emergency/nims/JobAids.shtm>
- \_\_\_\_\_ 1 SET OF DEPARTMENTAL SOG'S - ONSITE
- \_\_\_\_\_ 1 COUNTY MAP PER VEHICLE
- \_\_\_\_\_ 1 N.C. STATE MAP PER VEHICLE
- \_\_\_\_\_ 1 FIRE RETARDANT BLANKET
- \_\_\_\_\_ 2 TARPS, 10 FT. X 12 FT. - MINIMUM
- \_\_\_\_\_ 1 GLOBAL POSITIONING SYSTEM (GPS)
- \_\_\_\_\_ 1 SET OF TOPOGRAPHICAL MAP SET TO COVER LOCAL REGION, (ELECTRONIC OR PAPER VERSIONS ACCEPTED)
- \_\_\_\_\_ 1 OSHA COMPLIANT SAFETY FUEL CAN

N. LADDERS

- \_\_\_\_\_ 1 LADDER, EXTENSION TYPE, 24 FT. LENGTH, NFPA FIRE SERVICE RATED
- \_\_\_\_\_ 1 LADDER, ATTIC TYPE, 10 FT. LENGTH MINIMUM, NFPA FIRE SERVICE RATED

O. WATER RESCUE: MINIMUM OF EIGHT (8) SETS

- \_\_\_\_\_ 8 PFD, TYPE III/V, VEST TYPE, U.S. COAST GUARD APPROVED - (NOTE: THE STANDARDS COMMITTEE RECOMMENDS THAT IF AN ORGANIZATION IS PLANNING TO BECOME CERTIFIED AT THE SWIFTWATER LEVEL THE ORGANIZATION PURCHASE THE TYPE V, RATHER THAN THE TYPE III VESTS TO REDUCE EXPENSE LATER)
- \_\_\_\_\_ 8 HELMETS, SUITABLE FOR WATER RESCUE
- \_\_\_\_\_ 2 WATER RESCUE THROW BAGS (FLOATING ROPE), 3/8 IN. X 70 FT
- \_\_\_\_\_ 1 - 18 IN. TYPE IV THROWABLE DEVICE

P. SCBA UNITS

- \_\_\_\_\_ 4 SELF CONTAINED BREATHING APPARATUS MINIMUM 30 MINUTE DURATION EACH WITH A MOTION ALARM
- \_\_\_\_\_ 4 SPARE AIR CYLINDERS (COMPATIBLE TO FIT ABOVE MENTIONED SCBA)

Q. MEDICAL CARE - ALL MEDICAL EQUIPMENT TO BE N.C.O.E.M.S. APPROVED

- \_\_\_\_\_ 1 LONG SPINE BOARD, WITH STRAPS PER AHJ
- \_\_\_\_\_ 1 EXTRICATION DEVICE (K.E.D. TYPE)
- \_\_\_\_\_ 5 EXTRICATION COLLARS, ASSORTED SIZES
- \_\_\_\_\_ 2 OXYGEN CYLINDERS
- \_\_\_\_\_ 1 OXYGEN REGULATORS, 0-15 LPM
- \_\_\_\_\_ 1 NON REBREATHING MASKS, INFANT, CHILD AND ADULT
- \_\_\_\_\_ 2 NASAL CANNALS - ADULT, CHILD AND INFANT
- \_\_\_\_\_ 1 BAG-VALVE MASK, WITH HIGH CONCENTRATION KIT FOR ADULT, CHILD & INFANT
- \_\_\_\_\_ 1 SUCTION DEVICE, PORTABLE SUCTION UNIT W/RIGID TIP OR SOFT TIP SUCTION CATHETER
- \_\_\_\_\_ 1 BLANKET, THERMAL
- \_\_\_\_\_ 1 SPLINT KIT, ASSORTED TO INCLUDE TRACTION SPLINTS
- \_\_\_\_\_ 1 TRAUMA KIT - PER MEDICAL RESPONDER STANDARDS CRITERIA
- \_\_\_\_\_ 1 BODY/EXPOSURE BAG