

NORTH CAROLINA ASSOCIATION OF RESCUE & EMERGENCY MEDICAL SERVICES, INC.

P.O. BOX 1914, GOLDSBORO, N.C. 27533-1914 TELEPHONE: 919/736-0506 FAX: 919/736-7759

E-MAIL: ncarems@ncarems.org

STATEMENT OF ELIGIBILITY

HEAVY RESCUE

*** PLEASE PRINT OR TYPE

NAME OF DEPARTMENT _____ DATE _____

MAILING ADDRESS _____ ST. ADDRESS _____

CITY _____ STATE _____ ZIP _____ COUNTY _____

DEPARTMENT EMAIL ADDRESS _____

COMM CENTER PHONE #() _____ BUSINESS PHONE #() _____

DEPARTMENT CELL PHONE #() _____ FAX # _____

CAPTAIN/CHIEF _____ EMAIL ADDRESS _____

WORK PHONE #() _____ HOME PHONE #() _____ CELL #() _____

SECRETARY _____ EMAIL ADDRESS _____

WORK PHONE #() _____ HOME PHONE #() _____ CELL #() _____

DOES YOUR SQUAD PROVIDE?

RESCUE ONLY ___ EMS ONLY ___ EMS/FIRE ___ EMS/RESCUE ___ EMS/FIRE/RESCUE ___ FIRE/RESCUE ___

DOCUMENTS NEEDED TO CERTIFY & MUST ACCOMPANY THIS STATEMENT OF ELIGIBILITY:

- 1) COPY OF STATE CHARTER**
- 2) AUTHORITY TO OPERATE WITH CITY/COUNTY**

AUTHORITY TO OPERATE

TO BE SIGNED & NOTARIZED BY CITY OR COUNTY OFFICIAL

THIS IS TO CERTIFY THAT _____
Name of Department

IS AN ACTIVE OPERATING SERVICE, OPERATING IN _____ CITY
OR COUNTY AND IS HEREBY AUTHORIZED TO PROVIDE **HEAVY RESCUE** IN THE ABOVE MENTIONED CITY OR
COUNTY.

COUNTY OR CITY OFFICIAL PRINT NAME _____ SIGNED

TITLE

(NOTARY SEAL)

COUNTY OF _____ STATE OF _____

ON THE _____ DAY OF _____ 20_____, APPEARED BEFORE ME THE SAID INDIVIDUAL DESCRIBED
HEREIN AND WHO EXECUTED THE FOREGOING INSTRUMENT, AND HE (OR SHE) DULY ACKNOWLEDGED TO ME THAT HE (OR SHE)
EXECUTED SAME AND THAT THE STATEMENT THEREIN CONTAINED WERE TRUE TO THE BEST OF HIS (OR HER) KNOWLEDGE AND
BELIEF.

MY COMMISSION EXPIRES: _____ NOTARY PUBLIC

TO BE SIGNED & NOTARIZED BY DEPARTMENT OFFICIAL

THIS IS TO CERTIFY THAT _____
Name of Department

IS AN ACTIVE OPERATING SERVICE, OPERATING IN _____ CITY
OR COUNTY AND IS HEREBY AUTHORIZED TO PROVIDE **HEAVY RESCUE** IN THE ABOVE MENTIONED CITY OR
COUNTY.

DEPARTMENT OFFICIAL PRINT NAME _____ SIGNED

TITLE

(NOTARY SEAL)

COUNTY OF _____ STATE OF _____

ON THE _____ DAY OF _____ 20_____, APPEARED BEFORE ME THE SAID INDIVIDUAL
DESCRIBED HEREIN AND WHO EXECUTED THE FOREGOING INSTRUMENT, AND HE (OR SHE) DULY ACKNOWLEDGED TO ME THAT HE (OR
SHE) EXECUTED THE SAME AND THAT THE STATEMENTS THEREIN CONTAINED WERE TRUE TO THE BEST OF HIS (OR HER) KNOWLEDGE
AND BELIEF.

MY COMMISSION EXPIRES: _____ NOTARY PUBLIC

BOTH SIGNATURES ARE REQUIRED

MINIMUM STANDARD REQUIREMENTS - NCAR&EMS

HEAVY RESCUE

HEAVY RESCUE IS DEFINED AS ADVANCED LEVELS OF ALL RESCUE, ADVANCED EXTRICATION, AND BASIC LIFE SUPPORT FUNCTIONS AS AN INITIAL RESPONDER WITH MINIMUM ADVANCED EQUIPMENT.

1. MINIMUM PERSONNEL / ORGANIZATION REQUIREMENTS:

NUMBER OF PERSONNEL WITH CERTIFICATION

(ENTER NUMBER OF PERSONNEL WITH EACH CERTIFICATION)

FIRST RESPONDER - _____ MEDICAL RESPONDER - _____ EMT - _____

EMT-I - _____ EMT-P - _____ RESCUE CERTIFIED - _____ RN/MICN - _____

A MINIMUM OF EIGHT (8) PERSONNEL SHALL HOLD RESCUE CERTIFICATIONS AS ERT, RT-VMR & RT-ROPES OR TR-VMR & TR-ROPES OR TECHNICAL RESCUER & TR-VR & TR MACHINERY & AGRICULTURE

2. TYPE OF RESCUE TO PERFORM:

AS SPECIFIED BY THE CONTRACT WITH THE AHJ

3. VEHICLE:

VEHICLE(S) USED FOR HEAVY RESCUE SHALL BE CAPABLE OF TRANSPORTING RESCUE PERSONNEL AND EQUIPMENT TO AN INCIDENT SAFELY AND CANNOT EXCEED THE VEHICLE'S TOTAL GVWR, INCLUDING THE CHASSIS, BODY, AND RESCUE EQUIPMENT AND MEDICAL CARE EQUIPMENT WHEN LOADED. ALL EQUIPMENT SHALL BE LOADED ON APPARATUS AND RESPONSE READY.

4. MINIMUM REQUIRED EQUIPMENT: DEPT. NAME _____

NCAR&EMS, INC.,
REPRESENTATIVE _____ DATE: _____

APPROVED: _____ YES _____ NO INSPECTOR'S SIGNATURE: _____

YOU MUST HAVE EACH OF THE FOLLOWING ITEMS TO MEET ELIGIBILITY REQUIREMENTS FOR CERTIFICATION.

A. COMMUNICATIONS EQUIPMENT

- _____ 1 - MOBILE RADIO PER VEHICLE
- _____ 8 - PORTABLE RADIOS

ALL COMMUNICATIONS EQUIPMENT SHALL HAVE THE CAPABILITY TO COMMUNICATE BETWEEN EMERGENCY AGENCIES OF THE LOCAL JURISDICTION.

B. GENERATOR

- _____ 1 GENERATOR, 5KW, MINIMUM, MOBILE
- _____ 1 GENERATOR, 8KW, MINIMUM, MOBILE

C. LIGHTING EQUIPMENT

- _____ 8 HANDLIGHTS, PORTABLE, BATTERY POWER OR RECHARGEABLE HANDLIGHTS.
- _____ ADEQUATE SCENE LIGHTS TO ILLUMINATE THE SCENE PER THE AHJ. MAY BE PORTABLE, TRIPOD MOUNTED, LIGHT TOWER OR OTHER TYPE LIGHTS. FLASHLIGHTS WILL NOT BE INCLUDED IN THESE LIGHTS. (THESE LIGHTS MAY BE QUARTZ, FLOURESCENT, LED, ETC.)
- _____ 200 FT. TOTAL OF 12/3 EXT. CORDS, MAY BE DIFFERENT LENGTHS
- _____ 2 - 12/3 GFCI

D. FIRE PROTECTION EQUIPMENT

- _____ 1 EXTINGUISHER, PORTABLE, 10 LB., ABC TYPE
- _____ 1 EXTINGUISHER, PORTABLE, 10 LB., CO 2 TYPE

E. PROTECTIVE CLOTHING: (MINIMUM OF EIGHT (8) SETS)

- _____ 8 PAIR GLOVES, LEATHER PALM
- _____ 8 PAIR GOGGLES/SAFETY GLASSES
- _____ 8 PROTECTIVE COATS, PROTECTIVE COVERALLS FLAME RESIST. IE.EX. 6.0-7.5 NOMEX
- _____ 8 PROTECTIVE PANTS, PROTECTIVE COVERALLS FLAME RESIST. IE. EX. 6.0-7.5 NOMEX
- _____ 8 PAIR PROTECTIVE FOOTWEAR
- _____ 8 SAFETY RATED HELMET
- _____ 8 HEARING PROTECTION

F. CRIBBING AND STABILIZATION

- _____ 60 BLOCKS, 4"X4"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 20 BLOCKS, 2"X4"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 12 BLOCKS, 6"X6"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 12 PAIR WEDGES, 6"X6"X24" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 20 PAIR WEDGES, 4"X4"X18" (MINIMUM), PREFERRED SOUTHERN YELLOW PINE OR DOUGLAS FIR
- _____ 2 PER VEHICLE WHEEL CHOCKS - (Note: Not Required on Department Ambulances)
- _____ 8 STEP CRIBBING
- _____ 16 PICKETS 1"X48" MINIMUM, ROLLED STEEL OR # 8 REBAR EQUIVALENTS
- _____ 16 EACH PICKETS CAPS/COVERS

G. HIGH LEVEL EQUIPMENT

- _____ 1,200 ft x 1/2 in LOW STRETCH KERNMANTLE ROPE, 9000 LB. TENSILE STRENGTH, MAY BE CUT TO DIFFERENT LENGTHS
- _____ 4 HARNESSSES, CLASS II TYPE
- _____ 4 HARNESSSES, CLASS III TYPE (MAY BE A CLASS II W/CHEST HITCH ATTACHED)
- _____ 36 CARABINERS, LOCKING GATE, 9000 LB MINIMUM OR 40KN (ALUMINUM MUST BE STAMPED)
- _____ 14 DESCENDERS, MAY BE ANY COMBINATION OF APPROVED GENERAL USE DESCENDERS WITH A MINUMUM OF ONE (1) BRAKE BAR RACK. (8'S MUST BE WINGED TYPE)
- _____ 1 RIGGING PLATE
- _____ 24 8mm PRUSSIK SLINGS,LENGTHS MAY VARY PER THE AHJ(53" & 65" PRE-TIED ARE RECOMMENDED)
- _____ 8 25 FT X 1/2 IN., BODY CORD, KERNMANTLE
- _____ 8 25 FT X 1 IN., WEBBING - THIS IS IN ADDITION TO THE NFPA COLORS BELOW TUBULAR IS RECOMMENDED)
- _____ 6 5 FT X 1 IN. TUBULAR WEBBING - GREEN
- _____ 6 12 FT X 1 IN. TUBULAR WEBBING - YELLOW
- _____ 6 15 FT X 1 IN. TUBULAR WEBBING - BLUE
- _____ 6 20 FT X 1 IN. TUBULAR WEBBING - RED
- _____ 6 25 FT X 1 IN. TUBULAR WEBBING - BLACK
- _____ 2 BASKET STRETCHER, STOKES TYPE - WITH ADJUSTABLE BRIDLE (PREMADE OR MFG)
- _____ 4 DOUBLE SHEAVE PULLEYS, 1/2 IN. X 2 IN. MINIMUM DIAMETER & RATED FOR GENERAL USE OR 2 PERSON LOADS, MAY BE STEEL, ALUMINUM, ETC. PER THE AHJ
- _____ 8 SINGLE SHEAVE PULLEYS, 1/2 IN. X 2 IN. MINIMUM DIAMETER & RATED FOR GENERAL USE OR 2 PERSON LOADS
- _____ 2 1/2 IN. SINGLE SHEAVE PULLEY PRUSSIK MINDING RATED FOR GENERAL USE OR 2 PERSON LOADS
- _____ 6 EDGE ROLLERS/PADS
- _____ 1 CINCH COLLAR

H. HANDLED TOOLS

- _____ 2 HAMMER, 4 LB., SLEDGE TYPE, 15 IN. HANDLE
- _____ 2 HAMMER, 22 OZ. CLAW - TYPE W/15 IN. HANDLE
- _____ 2 SHOVEL, MILITARY TYPE, FOLDING
- _____ 1 BOLT CUTTERS, 24 IN.
- _____ 1 BOLT CUTTERS, 36 IN.
- _____ 2 FLAT TYPE PRY BAR
- _____ 2 PRY BAR, 15 IN.
- _____ 3 PRY BAR, 51 IN.
- _____ 1 36 IN. CROWBAR
- _____ 1 HALIGAN/HOOLIGAN BAR, 36 IN. HANDLE
- _____ 1 PICKS - POINT & CHISEL 36" HANDLE
- _____ 1 10 FT. PIKE POLE
- _____ 2 HATCHET (Note: A Pry Axe may be substituted for a hatchet)
- _____ 1 6 LB. FLAT HEAD AXE
- _____ 1 6 LB. PICK HEAD AXE
- _____ 2 8 LB. SLEDGE HAMMER
- _____ 2 LONG HANDLE, ROUND POINT SHOVEL
- _____ 2 LONG HANDLE, SQUARE SHOVEL

I. CUTTING TOOLS

- _____ 2 RIGID FRAME HACKSAWS
- _____ 12 ASSORTED HACK SAW BLADES
- _____ 1 HANDSAW, CARPENTER TYPE, RIPPING
- _____ 1 BOW SAW - 24 IN.
- _____ 1 CHAIN SAW, GASOLINE OR ELECTRIC, OR HYDRAULIC
- _____ 1 SPARE CHAIN
- _____ 1 PAIR CHAINSAW CHAPS

- _____ 4 RECIPROCATING SAWS @ LEAST TWO MUST BE ELECTRIC (AC CORDED)
- _____ 24 ASSORTED RECIPROCATING SAWBLADES
- _____ 1 ROTARY SAW 14", W/SPARE BLADES FOR METAL & MASONARY
- _____ 1 CIRCULAR SAW 7 1/4", W/6 SPARE BLADES
- _____ 2 BOTTLES OF SPRAY LUBRICANT (NON-FLAMMABLE)
- _____ 1 AIR CHISEL - W/ASSORTED BITS, REGULATOR & HOSES
- _____ 1 IMPACT HAMMER, W/1 - BULLPOINT, 1 - CHISEL AND 1 - SPADE, GAUGES, HOSES and REGULATORS. (ACCEPTABLE TOOLS MAY INCLUDE EITHER THE PARATECH TYPE 40 OR AJAX X11 - RK AXESS)

J. TRAFFIC AND CROWD CONTROL AND HAZ-MAT EQUIPMENT

- _____ 8 TRAFFIC CONES OR REFLECTIVE TRIANGLES
- _____ 1 BARRIER TAPE, 2000 FT.
- _____ 8 TRAFFIC VEST, REFLECTIVE TYPE (MUST BE DOT COMPLIANT PER AHJ)
- _____ 1 INCIDENT COMMAND VEST KIT
- _____ 2 FLASHLIGHTS, WITH TRAFFIC WAND, RED, YELLOW OR ORANGE
- _____ 1 PER VEHICLE, BINOCULARS, 7 X 50 mm POWER
- _____ 1 D.O.T. EMERGENCY RESPONSE GUIDE BOOK - CURRENT EDITION
- _____ 1 MULTI-GAS METER (TO INCLUDE O2, LEL & CO)

K. PULLING EQUIPMENT

- _____ 1 WINCH 8000 LB. CAP, TRUCK MOUNTED
- _____ 2 SINGLE SHEAVE SNATCH BLOCKS FOR WINCH
- _____ 2 HANDWINCH, (COME-A-LONG TYPE), 2 TON AND MAY BE CHAIN OR CABLE. WEBBING TYPE NOT ACCEPTED).
- _____ 4 CHAIN, 3/8 X 6 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 4 CHAIN, 3/8 X 12 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 1 CHAIN, 3/8 X 20 FT., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 8 CHAIN SHORTENERS, 3/8 IN., GRADE 70 TRANSPORT CHAIN-W/CLEVIS HOOKS
- _____ 1 PORT-A-POWER, 4 TON, RESCUE KIT
- _____ 2 48 IN. HIGH LIFT JACKS
- _____ 2 60 IN. HIGH LIFT JACKS
- _____ 2 BOTTLE JACK, HYDRAULIC, 10 TON
- _____ 2 BOTTLE JACK, HYDRAULIC, 20 TON
- _____ 1 HIGH PRESSURE AIRBAG SET, 200 TON CAPACITY-W/ACCESSORIES-HOSES, REGULATORS & GAUGES

L. HEAVY HYDRAULIC RESCUE TOOLS

- _____ 1 HYDRAULIC SPREADER
- _____ 1 HYDRAULIC CUTTER
- _____ 2 HYDRAULIC RAMS
- _____ 1 POWER UNIT
- _____ 1 BACK-UP POWER UNIT

Note: Battery operated hydraulic rescue tools may be used in substitution of other similar type power tools. If using battery operated hydraulic rescue tools you must have the back-up 110 volt adaptor.

M. HAND TOOLS - MECHANICS TOOLS (MANUAL & POWER)

- _____ 6 SCREWDRIVERS, STRAIGHT BLADE, ASSORTED SIZES AT LEAST 2 MUST BE 15 IN.
- _____ 4 SCREWDRIVERS, PHILLIPS BLADE, ASSORTED SIZES
- _____ 4 CENTERPUNCH, SPRING LOADED
- _____ 1 WRENCH, CRESCENT TYPE, 10 IN
- _____ 1 PIPEWRENCH, 18 IN
- _____ 1 KNIFE, UTILITY TYPE, HOOKED BLADE
- _____ 1 HAMMER, 2 LB., MACHINIST TYPE
- _____ 1 PLIERS, VISE GRIP TYPE, 6 IN.
- _____ 1 PLIERS, VISE GRIP TYPE, 10 IN.
- _____ 1 PLIERS, SLIP JOINT TYPE, 9 1/2 IN.

- _____ 1 PLIERS, SLIP JOINT TYPE, 16 IN. - CHANNEL LOCK TYPE
- _____ 1 COLD CHISEL, 1/2 IN. X 12 IN.
- _____ 1 COLD CHISEL, 1 IN. X 12 IN.
- _____ 1 PAIR 8 IN. TIN SNIPS
- _____ 1 DRILL - HAMMER TYPE 3/4 IN., W/ASSORTED BITS
- _____ 1 AIR WRENCH - W/HOSES, GAUGES, REGULATOR AND ACCESSORIES
- _____ 1 SOCKET SET, 1/4 IN. DRIVE, STANDARD (3/16 THRU 1/2) AND METRIC (4 THRU 13 MM)
- _____ 1 SOCKET SET, 3/8 IN. DRIVE, STANDARD (7/16 THRU 13/16) AND METRIC (8 THRU 19 MM)
- _____ 1 SOCKET SET, 1/2 IN. DRIVE, STANDARD (7/16 THRU 1") AND METRIC (9 THRU 22 MM)
- _____ 1 IMPACT SOCKET SET 1/2 IN. DRIVE, STANDARD (7/16 THRU 1") AND METRIC (9 THRU 22 MM)
- _____ 1 SOCKET SET - 3/4 IN. DRIVE, STANDARD, 7/8 IN. THRU 2 3/8 IN.
- _____ 1 COMBINATION WRENCH SET, STANDARD & METRIC SETS- STANDARD-1/4 IN. THRU 1 5/8 IN., METRIC, 6 mm THRU 32 mm
- _____ 1 HEX KEY WRENCH SET STANDARD & METRIC 5/64, 3/8 & 1.5 mm THRU 10 mm
- _____ 1 TORX DRIVERS SET, SOCKET TYPE, SIZES 15 THRU 45
- _____ 2 ROLL OF ELECTRIC TAPE
- _____ 2 ROLL OF DUCT TAPE

N. MISCELLANEOUS

- _____ 1 SET OF PRINTED INCIDENT COMMAND FORMS PER AHJ: Download these forms at the following link which: <http://www.ncarems.org/standards.php>
- _____ 1 SET OF DEPARTMENTAL SOG'S - ONSITE
- _____ 1 COUNTY MAP PER VEHICLE
- _____ 1 N.C. STATE MAP PER VEHICLE
- _____ 2 FIRE RETARDANT BLANKETS
- _____ 4 TARPS, 10 FT. X 12 FT. (MINIMUM SIZE)
- _____ 2 TARPS, 18 FT. X 20 FT
- _____ 1 GLOBAL POSITIONING SYSTEM (GPS) (NOTE: GPS MUST BE ABLE TO ACCEPT COORDINATES FOR LANDING ZONES, SEARCHES & MAY NOT BE A VEHICLE TYPE NOR A CELL PHONE)
- _____ 1 SET OF TOPOGRAPHICAL MAPS SET TO COVER LOCAL REGION (ELECTRONIC OR PAPER VERSIONS ACCEPTED)
- _____ 1 OSHA COMPLIANT SAFETY FUEL CAN
- _____ 1 LANDING ZONE LIGHT KIT (CAN BE MANUFACTURED OR CUSTOM MADE BY AHJ. IF YOUR AHJ USES VEHICLES OR OTHER MEANS FOR LZ SETUP, PLEASE SPECIFY YOUR PLAN TO THE INSPECTOR)

O. LADDERS

- _____ 1 LADDER, EXTENSION TYPE, 24 FT. LENGTH, NFPA FIRE SERVICE RATED
- _____ 2 LADDERS, 12 FT. NFPA FIRE SERVICE RATED
- _____ 1 LADDER, ATTIC TYPE, 10 FT. LENGTH MINIMUM, NFPA FIRE SERVICE RATED

P. WATER RESCUE EQUIPMENT:

- _____ 8 PFD, TYPE III/V, VEST TYPE, U.S. COAST GUARD APPROVED - (NOTE: THE STANDARDS COMMITTEE RECOMMENDS THAT IF AN ORGANIZATION IS PLANNING TO BECOME CERTIFIED AT THE SWIFTWATER LEVEL THE ORGANIZATION PURCHASE THE TYPE V, RATHER THAN THE TYPE III VESTS TO REDUCE EXPENSE LATER)
- _____ 8 WATER RESCUE HELMETS
- _____ 6 WATER RESCUE THROW BAGS (FLOATING ROPE), 3/8 IN. X 70 FT
- _____ 300 FT OF 7/16 IN. WATER RESCUE ROPE W/ STORAGE BAG, MINIMUM OF 5000 LB., STRENGTH
- _____ 1 18 IN. TYPE IV THROWABLE DEVICE

Q. SCBA UNITS

- _____ 4 SELF CONTAINED BREATHING APPARATUS MINIMUM 30 MINUTE DURATION EACH WITH A P.A.S.S. (Personal Alert Safety System) Device ALARM
- _____ 4 SPARE AIR CYLINDERS (COMPATIBLE TO FIT ABOVE MENTIONED SCBA)

R. MEDICAL CARE - ALL MEDICAL EQUIPMENT TO BE N.C.O.E.M.S. APPROVED

- _____ 1 LONG SPINE BOARD, WITH STRAPS PER AHJ
- _____ 1 EXTRICATION DEVICE (K.E.D. TYPE)
- _____ 3 EXTRICATION COLLARS, 2 ADULT & 1 PEDIATRIC
- _____ 2 OXYGEN CYLINDERS
- _____ 1 OXYGEN REGULATORS, 0-15 LPM
- _____ 1 NON REBREATHING MASKS, INFANT, CHILD AND ADULT
- _____ 2 NASAL CANNALS - ADULT, CHILD AND INFANT
- _____ 1 BAG-VALVE MASK, WITH HIGH CONCENTRATION KIT FOR ADULT, CHILD & INFANT
- _____ 1 SUCTION DEVICE, PORTABLE SUCTION UNIT W/RIGID TIP OR SOFT TIP SUCTION CATHETER
- _____ 1 BLANKET
- _____ 1 SPLINT KIT, ASSORTED TO INCLUDE TRACTION SPLINTS
- _____ 1 TRAUMA KIT - PER MEDICAL RESPONDER STANDARDS CRITERIA
- _____ 1 BODY/EXPOSURE BAG

NOTE: IF AGENCY HAS A NCOEMS PERMITTED AMBULANCE, THE ABOVE MEDICAL CARE EQUIPMENT WILL BE AUTOMATICALLY CREDITED DURING THE INSPECTION.